

HOME COLLECTION


2026



CONNECTED, ACOUSTIC
AND HOME CINEMA LOUDSPEAKERS


 **FOCAL**[®]

For more than four decades, Focal has created speaker drivers and high-end loudspeakers that deliver a unique sound. Our brand values are innovation and performance; excellence and pleasure. We are globally renowned for our exclusive technologies. The result of this technological heritage is class-leading products offering a natural, authentic performance, imbued with clarity and power. With our collection of acoustic, connected and Home Cinema loudspeakers, we bring you excellent listening quality through solutions with exceptional design.



PASSIVE SPEAKERS

These require an external amplifier to function. The amplifier powers the speakers through cables and allows you to adjust the sound to suit your preferences. This is the classic choice for audiophiles, as it offers great flexibility in setting up and customising your sound system.



ACTIVE SPEAKERS

These have a built-in amplifier in each speaker. You simply need to connect them to an audio source (smartphone, turntable, TV, etc.) and they're ready to go. This is an ideal solution for those seeking excellent sound without additional equipment and a user-friendly setup.

ALL-IN-ONE SYSTEMS

01.

DIVA UTOPIA

9



02.

MU-SO HEKLA

17

ACOUSTIC & HOME CINEMA SPEAKERS

03.

UTOPIA

23



04.

SOPRA

33



05.

KANTA

39





06.
ARIA EVO X

45

07.
THEVA

51



08.
SUBWOOFERS

59

09.
ASTRAL 16

61



01.

DIVA UTOPIA

THE NEXT GENERATION HI-FI

The Diva Utopia range brings together the best of Focal acoustics and Naim electronics in all-in-one solutions with a unique design. These Hi-Fi wireless speakers integrate powerful amplifiers, provide access to numerous streaming services, offer extensive connectivity, and are easily controlled via smartphone, remote control, or voice assistants. The sound quality, elevated by the Ultra Wideband technology, propels Hi-Fi into a new dimension.



— 9 — FOCAL | DIVA UTOPIA

KEY POINTS



'W'
sandwich cone



'M'-profile
beryllium tweeter



Naim Class AB
amplification



Ultra Wideband
technology



Focal & Naim
ecosystem



Wider
connectivity





DIVA MEZZA UTOPIA

Type	3-way bass-reflex active floorstanding
Speaker drivers	Bass: 4 x 'W' 8" (20.5cm) push-push configuration Midbass: 'W' 6½" (16.5cm) with TMD® surround and NIC motor Tweeter: IAL2 1¼" (27mm) pure beryllium 'M'-shaped inverted dome
Bandwidth (+/-3dB)	25Hz - 40kHz
Low-frequency cut-off (-6dB)	22Hz
Maximum volume (per pair)	120dB SPL (@ 1m)
Amplification power per speaker driver	LF: 280W Class AB - MF: 130W Class AB - HF: 90W Class AB
Power supply	110-120V/220-240V ~ 50/60Hz
Inputs	
Audio formats	<ul style="list-style-type: none"> - WAV, FLAC and AIFF - up to 24bits/384kHz - ALAC (Apple Lossless Audio Codec) - up to 24bits/384kHz - MP3 - up to 48kHz/ 320kbits (16bits) - AAC - up to 48kHz/ 320kbits (16bits) - OGG and AAC - up to 48kHz (16bits) - DSD64 and DSD128 - Bluetooth® - aptX™ Adaptive, SBC, AAC
Multiroom	Sync up to 32 Focal & Naim streaming devices and control them from the Focal & Naim app
Wireless streaming features	
Music streaming services via the Focal & Naim app	
Wireless connection	UWB 96kHz/24bits
Connection with Hi-Res Link	192kHz/24bits
Handheld	Integrated remote control - Focal & Naim control app for iOS and Android
Remote control	Zigbee
Dimensions (HxLxD)	50 x 18½ x 24¼" (127 x 46 x 62cm)
Weight (by unit)	192lbs (90kg)
Finish	



DIVA UTOPIA

Type	3-way bass-reflex active floorstanding
Speaker drivers	Bass: 4 x 'W' 6½" (16.5cm) push-push configuration Midbass: 'W' 6½" (16.5cm) with TMD® suspension and NIC® motor Tweeter: IAL2 1½" (27mm) pure beryllium 'M'-shaped inverted dome
Bandwidth (+/-3dB)	27Hz - 40kHz
Low-frequency cut-off (-6dB)	24Hz
Maximum volume (per pair)	116dB SPL (@ 1m)
Amplification power per speaker driver	LF: 250W Class AB - MF: 75W Class AB - HF: 75W Class AB
Power supply	110-120V/220-240V ~50/60Hz
Inputs	     
Audio formats	<ul style="list-style-type: none"> - WAV, FLAC and AIFF - up to 24bits/384kHz - ALAC (Apple Lossless Audio Codec) - up to 24bits/384kHz - MP3 - up to 48kHz/ 320kbits (16bits) - AAC - up to 48kHz/ 320kbits (16bits) - OGG and AAC - up to 48kHz (16bits) - DSD64 and DSD128 - Bluetooth® - aptX™ Adaptive, SBC, AAC
Multiroom	Sync up to 32 Focal & Naim streaming devices and control them from the Focal & Naim app
Wireless streaming features	       
Music streaming services via the Focal & Naim app	  
Wireless connection	UWB 96kHz/24bits
Connection with Hi-Res Link	192kHz/24bits
Handheld	Integrated remote control - Focal & Naim control app for iOS and Android
Remote control	Zigbee
Dimensions (HxLxD)	47¾ x 16½ x 22" (121 x 42 x 56cm)
Weight (by unit)	141lbs (64kg)
Finish	
Optional finishes	  

*The Diva Utopia range is exclusively available in Focal Powered by Naim stores.





— 5 — FOCAL | DIVA UTOPIA

02.

MU-SO HEKLA

Immersive sound, sensory experience

Dive into films, music and video games with Mu so Hekla. This immersive all-in-one system, compatible with all audiovisual content, combines Dolby Atmos® technology with outstanding performance and effortless ease of use, transforming each listening experience. Its sound spatialisation is spectacular, powered by 15 high precision speaker drivers and an amplification of 660 watts. With room adaptable settings and customisable Audio Modes, the system delivers a fully bespoke level of immersion.



-17- FOCAL | MU-SO HEKLA

KEY POINTS



Dolby Atmos®
technology



660 W amplification
15 speakers




Exclusive
SPHERE module



Easy control via
the Focal & Naim app



Customizable
audio modes



Patented ADAPT
technology





MU-SO HEKLA

Type	All-in-one Immersive system	
Speaker Drivers	Front: 3 x Woofers (6"x3") 2 x Midranges (2.75") 2 x Tweeters (1")	Side: 4 x Full range (1.5"x 2.75") Top: 4 x Full range (1.5"x 2.75")
Bandwidth (+/-3dB)	30Hz - 20kHz	
Analogue outputs	1 x RCA pair for subwoofer connection	
Digital inputs	1 x Optical TOSLINK (up to 24bits/96kHz) 1 x HDMI eARC, CEC 1 x RJ45 Ethernet	
Wireless streaming technologies	Google Cast, AirPlay, Bluetooth®, UPnP™, Spotify® via Spotify Connect, TIDAL® via TIDAL Connect, Qobuz® via Qobuz Connect, QQ Music® via QPlay (China only)	
Audio format	WAV, FLAC and AIFF, ALAC, MP3, AAC, OGG, OPUS, DSD64 and DSD128, Bluetooth® 5.1 - SBC, AAC	
Multichannel Audio Format	Dolby Digital AC3, Dolby Digital AC4, Dolby Digital Plus (EAC3), Dolby Digital TrueHD, Dolby MAT (HDMI only), FLAC multicanal (streamer only), WAV multicanal (streamer only), Apple APAC (streamer only)	
Multiroom Connectivity	Sync up to 32 Focal & Naim streaming devices and control them from the Focal & Naim App	
Finishes	Brushed anodised and sandblasted aluminium	
Dimensions (HxWxD)	4.65x39.37x11.61" (11.8x100x29.5cm)	
Weight	15.5 kg	



02.

UTOPIA

The legend continues

The embodiment of Focal excellence, the Utopia III Evo line is distinguished by its incredible silhouette, cutting-edge, exclusive technology, finishes inspired by the luxury car industry and, of course, the unrivalled listening experience they deliver. They are also home to the best components of their generation. Utopia is an icon, and still streets ahead of the rest.



KEY POINTS



'W' sandwich cone



Pure Beryllium tweeter



TMD® suspension



Power Flower™ technology



Focus Time



Large laminar vent





GRANDE UTOPIA EM EVO

The ultimate sound

Grande Utopia has left an indelible mark with each generation; it is Focal's most successful concept. With its exceptional performance and unique style, it is no longer simply a monument to technology, it is also a sound sculpture. Each speaker driver is housed inside a separate box. These boxes make up the spectacular spinal column of the loudspeaker and can be tilted by a dedicated handle. This adjustable 'Focus Time' function means you can achieve an absolutely perfect sound image based on the configuration of your room.

FINISHES



Carrara
White



Black
Lacquer



Ash
Grey



Hot
Chocolate



Noyer
Naturel



Noyer
Foncé



GRANDE UTOPIA EM EVO



STELLA UTOPIA EM EVO

Type	4-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker
Drivers	<ul style="list-style-type: none"> • Electromagnetic 16" (40cm) 'W' Woofer • Multiferrite 11" (27cm) 'W' Low-Mid Woofer • 2 x 6½" (16.5cm) 'W' Midrange Power Flower™ with TMD® suspension and NIC® motor • 1" (27mm) IAL2 pure Beryllium inverted dome tweeter 	<ul style="list-style-type: none"> • Electromagnetic 13" (33cm) 'W' Woofer • 2 x 6½" (16.5cm) 'W' Midrange Power Flower™ with TMD® suspension and NIC® motor • 1" (27mm) IAL2 pure Beryllium inverted dome tweeter
Frequency response	18Hz - 40kHz	22Hz - 40kHz
Low frequency point (-6dB)	14Hz	18Hz
Crossover frequency	80 / 220 / 2,300Hz	230 / 2,200Hz
Sensitivity (2.83V/1 m)	94dB	94dB
Nominal impedance	8Ω (min 3Ω)	8Ω (min 2.8Ω)
Recommended amplifier power	50 - 1.500W	50 - 1.000W
Dimensions (HxWxD)	77⁄8 x 25¾ x 34⁵⁄8" (201 x 65.4 x 88cm)	61¾ x 21¾ x 32⁵⁄8" (155.8 x 55.3 x 83cm)
Weight (by unit)	584lbs (265kg)	375lbs (170kg)
Finishes		



MAESTRO UTOPIA EVO

3-way bass-reflex
floorstanding loudspeaker

- 11" (27cm) 'W' Woofer with a Magnetic Damping System (MDS)
- 11" (27cm) 'W' Woofer Power Flower™
- 6½" (16,5cm) 'W' Midrange with TMD® suspension and NIC® motor
- 1" (27mm) IAL2 pure Beryllium inverted dome tweeter

25Hz - 40kHz

21Hz

280 / 2,200Hz

93dB

8Ω (min 3.1Ω)

50 - 600W

57⅞ x 17⅞ x 30¼"
(147 x 45.5 x 77cm)

256lbs (116kg)



SCALA UTOPIA EVO

3-way bass-reflex
floorstanding loudspeaker

- 11" (27cm) 'W' Woofer Power Flower™
- 6½" (16,5cm) 'W' Midrange with TMD® suspension and NIC® motor
- 1" (27mm) IAL2 pure Beryllium inverted dome tweeter

27Hz - 40kHz

24Hz

220 / 2,400Hz

92dB

8Ω (min 3.2Ω)

50 - 500W

(49⅞ x 15½ x 26⅜")
(124.7 x 39.3 x 67cm)

187lbs (85kg)





DIABLO UTOPIA COLOUR EVO

Type

2-way bass-reflex compact
bookshelf loudspeaker

Drivers

- 6½" (16.5cm)
'W' Midbass Power Flower™
- 1" (27mm) IAL2 pure Beryllium
inverted dome tweeter

Frequency response

44Hz - 40kHz

**Low frequency
point (-6dB)**

40Hz

Crossover frequency

2,200Hz

Sensitivity (2.83V/1 m)

89dB

Nominal impedance

8Ω (min 4Ω)

**Recommended
amplifier power**

25 - 200W

**Dimensions
(HxWxD)**

17 x 10½ x 16¾"
(43.1 x 25.8 x 42.7cm)

Weight (by unit)

44lbs (20kg)

Finishes



VIVA/VIVA CENTER UTOPIA COLOUR EVO

3-way LCR bass-reflex
loudspeaker

- 2 x 8" (21cm) 'W' Woofers
- 6½" (16.5cm) 'W' Midrange Power Flower™
- 1" (27mm) IAL2 pure Beryllium
inverted dome tweeter

39Hz - 40kHz

34Hz

270/ 2,200Hz

92dB

8Ω (min 3.2Ω)

50 - 600W

37½ x 12½ x 20½"
(94.2 x 32.2 x 51cm)

125lbs (57kg)





**SUB UTOPIA EM
COLOUR EVO**

Subwoofer (see p.59)



**DIABLO UTOPIA
COLOUR EVO STAND**

Height: 24" (60cm)
Graphite Black finish



**VIVA / VIVA CENTER
UTOPIA COLOUR EVO STAND**

Height: 16" (40cm)
Graphite Black finish

03.

SOPRA

Revealing the invisible

The Sopra loudspeakers push back the limits of sound reproduction in terms of transparency, of precision, and harmonic richness. They gloriously release the essence of music: you will feel like you are listening to some sounds for the very first time... With its sleek design and its compactness, the Sopra range is a delight for aesthetes of form and sound.



FINISHES



Carrara
White



Electric
Orange



Black
Lacquer



Light
Oak



Macassar

KEY POINTS



'W' sandwich
cone




Pure Beryllium
IHL tweeter



TMD[®]
suspension



NIC
technology





SOPRA N°3

SOPRA N°2

SOPRA N°1

Type	3-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker	2-way bass-reflex bookshelf loudspeaker
Drivers	<ul style="list-style-type: none"> • 2 x 8" (21cm) 'W' Woofer with NIC® motor • 6½" (16.5cm) 'W' Midrange with TMD® suspension and NIC® motor • 1" (27mm) IHL pure Beryllium inverted dome tweeter 	<ul style="list-style-type: none"> • 2 x 7" (18cm) 'W' Woofer with NIC® motor • 6½" (16.5cm) 'W' Midrange with TMD® suspension and NIC® motor • 1" (27mm) IHL pure Beryllium inverted dome tweeter 	<ul style="list-style-type: none"> • 6½" (16.5cm) 'W' Midbass with TMD® suspension and NIC® motor • 1" (27mm) IHL pure Beryllium inverted dome tweeter
Frequency response	33Hz - 40kHz	34Hz - 40kHz	45Hz - 40kHz
Low frequency point (-6dB)	26Hz	28Hz	41Hz
Crossover frequency	250 / 2,200Hz	250 / 2,200Hz	2,200Hz
Sensitivity (2.83V/1 m)	91,5dB	91dB	89dB
Nominal impedance	8Ω (min 3.1Ω)	8Ω (min 3.1Ω)	8Ω (min 3.9Ω)
Recommended amplifier power	40 - 400W	40 - 300W	25 - 150W
Dimensions (HxWxD)	49⅝ x 15¾ x 23⅝" (126.4 x 40.2 x 59.5cm)	46⅞ x 14⅞ x 21¼" (119 x 35.8 x 54cm)	16⅞ x 11 x 15¾" (42.5 x 27.9 x 39.6cm)
Weight (by unit)	154lbs (70kg)	121lbs (55kg)	42lbs (19kg)
Finishes			



SOPRA CENTER

3-way bass-reflex center loudspeaker

- 2 x 6½" (16.5cm) 'W' Woofers
- 3" (8cm) 'W' Midrange
- 1" (27mm) IHL pure Beryllium inverted dome tweeter

55Hz - 40kHz

50Hz

500 / 2,200Hz

91dB

8Ω (min 4.1Ω)

40 - 200W

9¼ x 24 x 13¾"
(23.5 x 60.9 x 35cm)

121lbs (19kg)



SOPRA SURROUND BE

2-way sealed bipolar surround loudspeaker

- 2 x 6½" (16.5cm) 'W' Midbass
- 2 x 1" (27mm) IHL pure Beryllium inverted dome tweeter

72Hz - 40kHz

59Hz

2,400Hz

91dB

4Ω / 8Ω (min 3Ω / 6Ω
(bipolar/monopolar))

40 - 200W

15¾ x 16¾ x 7½"
(39 x 43 x 19cm)

28lbs (13kg)



SW 1000 BE

Subwoofer (see p.59)



SOPRA STAND

Height: 24" (60cm)
Graphite Black finish

04.

KANTA

Performance meets style

Kanta is all about superb performance in an even more tightly controlled space. Precision, detail, warmth and musical sounding are its key sound characteristics. The range also stands out for its modern design and decidedly disruptive aesthetics. The front panels of its four models, in either a lacquered or a matte finish, offer various combination options to cater to all tastes and to suit diverse environments.



FINISHES



Black Lacquer
Black Mat



White High Gloss
White Mat



Walnut High Gloss
Black Mat



Walnut High Gloss
Ivory Mat

KEY POINTS



Flax
cone



Beryllium
tweeter



TMD®
suspension



Focus
Time





KANTA N°3

KANTA N°2

KANTA N°1

Type	3-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker	2-way bass-reflex bookshelf loudspeaker
Drivers	<ul style="list-style-type: none"> • 2 x 8" (21 cm) Flax bass with NIC® motor • 6½" (16.5 cm) Flax Midrange with TMD® suspension and NIC® motor • 1" (27mm) IAL3 pure Beryllium inverted dome tweeter 	<ul style="list-style-type: none"> • 2 x 6½" (16.5cm) Flax Woofer with NIC® motor • 6½" (16.5cm) Flax Midrange with TMD® suspension and NIC® motor • 1" (27mm) IAL3 pure Beryllium inverted dome tweeter 	<ul style="list-style-type: none"> • 6½" (16.5 cm) Flax Midbass with TMD® suspension and NIC® motor • 1" (27 mm) IAL3 pure Beryllium inverted dome tweeter
Frequency response	33Hz - 40kHz	35Hz - 40kHz	46Hz - 40kHz
Low frequency point (-6dB)	26Hz	29Hz	42Hz
Crossover frequency	250 / 2,500Hz	260 / 2,700Hz	2,400Hz
Sensitivity (2.83V/1 m)	91dB	91dB	88dB
Nominal impedance	8Ω (min 3Ω)	8Ω (min 3.1Ω)	8Ω (min 3.9Ω)
Recommended amplifier power	40 - 400W	40 - 300W	25 - 150W
Dimensions (HxWxD)	50¾" x 15¼" x 20½" (128 x 38.6 x 52cm)	44 x 12¾" x 18¾" (111.8 x 32.1 x 47.7cm)	16½" x 9¼" x 15¾" (42.2 x 23.4 x 39cm)
Weight (by unit)	101lbs (46kg)	77lbs (35kg)	29lbs (13kg)
Finishes			



KANTA CENTER

2-way bass-reflex center loudspeaker

- 6½" (16.5 cm) Flax Midbass with TMD® suspension and NIC® motor
- 1" (27 mm) IAL3 pure Beryllium inverted dome tweeter

55Hz - 40kHz

50Hz

2,400Hz

91dB

8Ω (min 3.5Ω)

40 - 200W

9½ x 22 x 15⅜"
(24.6 x 56.1 x 39cm)

40lbs (18kg)



SUB 1000 F

Subwoofer (see p.59)



KANTA N°1 STAND

Adjustable height from 24" to 25" (61.5 to 64.1cm)
Graphite Black finish



KANTA CENTER STAND

Adjustable height from 16.5" to 17.5" (42.4 to 45cm)
Graphite Black finish

05.

ARIA EVO X

High Fidelity guaranteed

In an embodiment of expressive high fidelity, Aria Evo X preserves the DNA of Aria 900. The midrange and bass speaker drivers retain the unrivalled flax cone, which delivers a natural sound, while the 'M'-shaped TAM tweeter reproduces a broad spectrum of frequencies and offers a wide diffusion angle. A line that delivers sublime design with contemporary finishes, the Aria Evo X will delight music lovers and Home Cinema fans alike.



FINISHES



Black
High Gloss



Moss Green
High Gloss



Prime
Walnut

KEY POINTS



Flax
cone



TAM
Tweeter



Multi-port
Powerflow system



Leather effect
front panel





ARIA EVO X N°4



ARIA EVO X N°3



ARIA EVO X N°2

Type	3-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker
Drivers	<ul style="list-style-type: none"> • 2 x 8" (21cm) Flax Woofer • 6½" (16.5cm) Flax Midrange with TMD® suspension • 1" (25mm) TAM Al/Mg inverted dome tweeter 	<ul style="list-style-type: none"> • 3 x 6½" (16.5cm) Flax Woofer • 6½" (16.5cm) Flax Midrange with TMD® suspension • 1" (25mm) TAM Al/Mg inverted dome tweeter 	<ul style="list-style-type: none"> • 2 x 6½" (16.5cm) Flax bass • 6½" (16.5cm) Flax Midrange with TMD® suspension • 1" (25mm) TAM Al/Mg inverted dome tweeter
Frequency response	37Hz - 30kHz	39Hz - 30kHz	45Hz - 30kHz
Low frequency point (-6dB)	31Hz	32Hz	37Hz
Crossover frequency	280 / 2,600Hz	260 / 3,100Hz	290 / 2,400Hz
Sensitivity (2.83V/1 m)	92.5dB	92dB	91.5dB
Nominal impedance	8Ω (min 2.5Ω)	8Ω (min 2.8Ω)	8Ω (min 2.9Ω)
Recommended amplifier power	40 - 350W	40 - 300W	40 - 250W
Dimensions (HxWxD)	45¼ x 14⅝ x 16⅞" (115 x 37.1 x 42cm)	45¼ x 11⅝ x 14⅝" (115 x 29.4 x 37.1cm)	40¾ x 11⅝ x 14⅝" (103.5 x 29.4 x 37.1cm)
Weight (by unit)	77lbs (35kg)	64lbs (29kg)	55lbs (25kg)
Finishes			



ARIA EVO X N°1

2-way bass-reflex
bookshelf loudspeaker

- 6½" (16.5cm) Flax Midbass with TMD® suspension
- 1" (25mm) TAM Al/Mg inverted dome tweeter

55Hz - 30kHz

47Hz

2,800Hz

89.5dB

8Ω (min 4.6Ω)

25 - 120W

15¾ x 8⅞ x 11"
(39 x 22.5 x 28cm)

19lbs (8.5kg)



ARIA EVO X CENTER

2-way bass-reflex
center loudspeaker

- 2 x 6½" (16.5cm) Flax Midbass with TMD® suspension
- 1" (25mm) TAM Al/Mg inverted dome tweeter

57Hz - 30kHz

50Hz

2,800Hz

91dB

8Ω (min 4.3Ω)

40 - 200W

7⅞ x 21 x 9⅝"
(20 x 53.3 x 24.5cm)

23lbs (10.5kg)



ARIA SR 900

2-way sealed bipolar
surround loudspeaker

- 2 x 5" (13cm) Flax Midbass
- 2 x 1" (25mm) TNF Al/Mg inverted dome tweeter

85Hz - 28Hz

67Hz

2,200Hz

90dB

8Ω (min 3.6Ω)

25 - 120W

11⅞ x 15¾ x 6"
(29.5 x 40 x 17cm)

12lbs (6kg)



SUB 1000 F

Subwoofer (see p.59)



STAND ARIA S 900

Aria Evo X N°1 compatible
Height: 24" (60cm)
Aluminium finish

06.

THEVA

Experience High Fidelity

Generous and assertive, the Theva loudspeakers promise to bring pure musical and Home Cinema experiences into your home. Packed with exclusive Focal technologies like the Slatefiber cone, they boast elegant finishes as well as meticulous details for a refined look. They combine impressive sound performance and outstanding design, embodying the best way to experience High-Fidelity.



FINISHES



Black
High Gloss



Light
Wood



Dark
Wood

KEY POINTS



Slatefiber
cone



Al/Mg
TNF Tweeter



Dolby Atmos[®]
effects



Time
Alignment





THEVA N°3-D

THEVA N°3

THEVA N°2

THEVA N°1

Type	3-way bass-reflex floorstanding loudspeaker - 1-way sealed	3-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker	2-way bass-reflex bookshelf loudspeaker
Drivers	<ul style="list-style-type: none"> • 2 x 6½" (16.5cm) Slatefiber Woofer • 6½" (16.5cm) Slatefiber Midrange • 1" (25mm) TNF Al/Mg inverted dome tweeter 	<ul style="list-style-type: none"> • 2 x 6½" (16.5cm) Slatefiber Woofer • 6½" (16.5cm) Slatefiber Midrange • 1" (25mm) TNF Al/Mg inverted dome tweeter 	<ul style="list-style-type: none"> • 2 x 5" (13cm) Slatefiber Woofer • 5" (13cm) Slatefiber Midrange • 1" (25mm) TNF Al/Mg inverted dome tweeter 	<ul style="list-style-type: none"> • 6½" (16.5cm) Slatefiber Midbass • 1" (25mm) TNF Al/Mg inverted dome tweeter
Frequency response	48Hz - 28kHz Atmos: 100Hz - 20kHz	48Hz - 28kHz	53Hz - 28kHz	58Hz - 28kHz
Low frequency point (-6dB)	39Hz Atmos: 90Hz	39Hz	45Hz	49Hz
Crossover frequency	270 / 2,700Hz	270 / 2,700Hz	280 / 2,900Hz	3,000Hz
Sensitivity (2.83V/1 m)	91dB	91dB	90dB	89dB
Nominal impedance	8Ω (min 2.9Ω) Atmos: 6Ω	8Ω (min 2.9Ω)	8Ω (min 2.9Ω)	8Ω (min 4.6Ω)
Recommended amplifier power	40 - 250W	40 - 250W	40 - 200W	25 - 120W
Dimensions (HxWxD)	40⅞ x 8⅜ x 15¼" (101.9 x 21.2 x 38.8cm)	39 x 8⅜ x 15¼" (98.9 x 21.2 x 38.8cm)	36⅝ x 7½ x 13⅞" (93.1 x 19.1 x 35.2cm)	15⅜ x 8⅜ x 10¼" (39.2 x 21.2 x 26cm)
Weight (by unit)	48lbs (22kg)	44lbs (20kg)	37lbs (17kg)	15lbs (7kg)
Finishes				



**THEVA
CENTER**

2-way sealed
center loudspeaker

- 2x 6½" (16.5cm)
Slatefiber Midbass
- 1" (25mm) TNF
Al/Mg inverted
dome tweeter

59Hz - 28kHz

51Hz

2,100Hz

91dB

8Ω (min 3.8Ω)

40 - 200W

8¼ x 20⅞ x 10"
(21 x 53 x 25cm)

22lbs (10kg)



**THEVA
SURROUND**

2-way sealed
surround loudspeaker

- 2x 6½" (16.5cm)
Slatefiber Midbass
- 1" (25mm) TNF
Al/Mg inverted
dome tweeter

80Hz - 28kHz

67Hz

3,000Hz

89dB

8Ω (min 4.5Ω)

25 - 100W

17½ x 12⅝ x 4"
(44.3 x 31.6 x 10.7cm)

11lbs (5.5kg)



SUB 600P

Subwoofer (see p.59)



THEVA N°1 STAND

Height: 21¾ (55cm)
Black finish



THEVA CENTER STAND

Height: 17¾ (45cm)
Black finish

07.

SUBWOOFERS

Dynamics, impact and power

The subwoofer is a major component of any audio installation, providing dynamics and intensity. With their sleek design, Focal subwoofers offer a deep, impactful and powerful bass. They effectively complement a wide range of configurations, from the most sophisticated Home Cinema installations to compact systems. All you have to do is choose the subwoofer for you!





SUB UTOPIA EM COLOUR EVO



SW 1000 BE

Type	Stackable passive subwoofer	Active bass-reflex subwoofer						
Drivers	<ul style="list-style-type: none"> • Electromagnetic 13" (33cm) 'W' Bass driver • Stackable (up to 3 subwoofers tall) • Almost 130dB SPL at 1m (in a corner) 	13" (33cm) 'W' Woofer						
Frequency response	22Hz - 500Hz	20Hz - 150Hz						
Low frequency point (-6dB)	19Hz	18Hz						
Functions	<table border="1"> <tr> <td>Sensitivity (2.83V/1m)</td> <td>93dB</td> </tr> <tr> <td>Nominal impedance</td> <td>8Ω (min 5.5Ω)</td> </tr> <tr> <td>Recommended amplifier power</td> <td>500 - 1.000W</td> </tr> </table>	Sensitivity (2.83V/1m)	93dB	Nominal impedance	8Ω (min 5.5Ω)	Recommended amplifier power	500 - 1.000W	<ul style="list-style-type: none"> • LFE/Stereo/Digital inputs • Adjustable LPF: 50Hz to 150Hz (24dB/oct.), 48dB/oct. • Adjustable subsonic filter • 3 user memories • Night mode and Boost mode • Autopower
Sensitivity (2.83V/1m)	93dB							
Nominal impedance	8Ω (min 5.5Ω)							
Recommended amplifier power	500 - 1.000W							
Amplifier power	-	600W BASH® amplifier						
Dimensions (HxWxD)	24¾ x 19 x 24¾" (63 x 48 x 62cm)	21 x 19¾ x 16⅞" (53.5 x 50 x 43cm)						
Net weight (by unit)	159lbs (72kg)	92lbs (42kg)						
Finishes								



SUB 1000F

Active sealed subwoofer

12" (30cm) Flax Woofer

24Hz - 160Hz

22Hz

- LFE/Stereo inputs
- Adjustable subsonic filter: 40 to 160Hz/12dB/Oct
- Phase inverter: 0 - 180°
- Autopower

1000W
BASH® amplifier

16½ x 15¾ x 16½"
(42 x 40 x 42cm)

47lbs (21.5kg)



SUB 600P

Active closed subwoofer

12" (30cm) Polyflex Woofer

28Hz - 270Hz

26Hz

- RCA input: Right, left, LFE
- Crossover Frequency: Variable 40 - 200Hz (LFE)
- Phase inverter: 0 - 180°
- Auto Standby enable / disable

600W Dynamic
300W RMS

15¾ x 15¾ x 16¾"
(40 x 40 x 42.5cm)

46lbs (21kg)



08.

ASTRAL 16

Cinematic Grandeur

Astral 16 is a 16-channel audio-video processor and amplifier that allows you to get the best from your loudspeakers. Compatible with Control4, Crestron, Savant and RTI, this cutting-edge electronic device incorporates 12 class-D amplifier channels and handles all audio formats (Dolby Atmos®, DTS:X™ etc.). You can control whichever system you want by room via a simple app, enjoy access to technical support at any time and customise your system as desired.



KEY POINTS




Audio-video processor



Home Cinema & Multiroom



Dolby Atmos®
DTS:X™ - Auro-3D®



Upgradable product





ASTRAL 16


Type	16 channel audio-video processor and amplifier	
Main features	• Compatible formats	Dolby Atmos [®] / DTS:X™ / Auro-3D [®]
	• Compatible formats	Powered by Dirac Live [®] : target curve editable from 20Hz to 20kHz for all channels (including subwoofers), phase correction full bandwidth 20Hz - 20kHz on all channels (including subwoofers)
	• 'Remote Monitoring' function	
Multichannel / Surround Processing	• Output channels	16
	• Decoding / upmixing channels	Up to 16 channels
HDMI	• Input sampling rate supported	Up to 192kHz
	• Stereo downmix	Fully flexible
	• Bass management	Unlimited
	• Multi-subwoofer channels	(6-12-18-24-36-48dB/oct)
	• Multi-way crossover	
	• 20 Parametric EQ per channel	
	• HDMI inputs	7 : HDMI 2.0 / HDCP 2.2
• HDMI outputs (mirror)	1 : HDMI 2.0 / HDCP 2.2 (with eARC) 2 : HDMI 2.0 / HDCP 2.2	
Audio Inputs	• Supported video format	up to 4K UHD
	• High Dynamic Range	HDR10 / HLG
	• Color Space and Subsampling	4:4:4, 4:2:2, 4:2:0
	• Deep Color	12 bpc
	• Max resolution supported	4K 60fps 4:4:4 8bpc
	• HDMI	3D / 4K / eARC
	• Digital input	3 x coaxial, 3 x optical
• Analog stereo inputs	4 x RCA inputs	
Amplified Audio Outputs	• Amplified main outputs	12
	• Analog main outputs, balanced	4 x XLR
	• Stereo downmix outputs, balanced	2 x XLR
	• Technology	Class D
	• Amplified channels	12
	• Continuous power output, per channel, to 0.1%THD	8Ω / 4Ω / 2.7Ω
	• 3 channels driven simultaneous	200W / 400W / 650W
• 6 channels driven simultaneous	200W / 350W / 350W	
• 12 channels driven simultaneous	200W / 300W	

Set-Up Management	<ul style="list-style-type: none"> • Configurable multi-theater management • Configurable audio zones management • Unlimited Theater and audio zones listening presets • Backup and restore of set-up • Firmware update via USB/network 	
Control Inputs and Outputs	<ul style="list-style-type: none"> • USB type A • Ethernet • Trigger • IR remote ports, in/out 	<p>2</p> <p>4 (out)</p> <p>1 / 1</p>
Control and custom Installation	<ul style="list-style-type: none"> • Web-based product configurator • TCP/IP API based control • Focal Remote iPad® control application • Home automation • Front panel display 	<p>Control4, Crestron, RTI and Savant</p> <p>TFT 4.3"</p>
Power Supply	<ul style="list-style-type: none"> • Voltage range • Type • Range selection 	<p>100V to 240V</p> <p>SMPS</p> <p>Universal</p>
Supplied with	<ul style="list-style-type: none"> • Calibrated measurement microphone and tripod • Dirac Live® license • 32.9ft (10m) cable with infra-red detector • Mounting kit 	
Dimensions with stands (HxWxD)	<p>7½ x 18¾ x 19¼"</p> <p>(19.1 x 47.9 x 49cm)</p>	
Weight	<p>Weight with stands</p> <p>Weight with accessories for Rack</p>	<p>44.1lbs (20kg)</p> <p>50.7lbs (23 kg)</p>


FOCAL & NAIM

Complete systems

With Focal and Naim products, you can enjoy a complete audio solution. Focal loudspeakers deliver exceptionally precise sound, perfectly embodying the spirit of high fidelity. Their performance is elevated even further by the outstanding Naim electronics ranges (all in one players, streamers, amplifiers...), which also provide a simple way to manage your music, access integrated streaming services (Spotify, TIDAL, Qobuz...) and much more.



Focal
loudspeakers



Naim
electronics



Matching
cables

THEVA N°3
& UNITI ATOM



ARIA EVO X N°1
& UNITI ATOM



KANTA N°2
& UNITI NOVA



SOPRA N°2
& UNITI NOVA PE



SCALA UTOPIA EVO
& 300 SERIES





DIVA UTOPIA



INNOVATION

'Spoiler alert— they sound superb'

WIRED



'Disruptive in every way, and desirable too'

DIAPASON D'OR



UTOPIA



'Musically, audiophiles could not ask for anything more than the Grande'

AUDIOPHILIA

'The Stellas are really bespoke loudspeakers, and to me, musical works of art'

TONE PUBLICATIONS



'With all that grace, power, and finesse on tap, when it comes to music the Maestro is a genuinely do it all performer'

HIFI PLUS





SOPRA



'The Sopra N°2 is literally and figuratively an impressive loudspeaker'

THE EAR



'It's difficult to live without it'

SOUND STAGE HIFI



KANTA



'The Focal Kanta N°3 delivers terrific sound quality and a stylish design for its price'

WHAT HI-FI

'Tonally, the Focal is absolutely magnificent'

AVFORUMS





ARIA EVO X



'Bright, transparent and brilliant in every way'

BLOG SON VIDÉO

'We've retained the original soul and charm of the Aria range while enjoying a smoother and fuller signal'

LES ANNÉES LASER



'Focal are the speaker company winning 2024 with the introduction of its new Aria Evo X range'

TECHRADAR



THEVA



'Big, confident and engaging sound'

HI-FI CHOICE

'Wide and dimensional stereo imaging. Great balance and fluidity across registers. Warm midrange, creamy treble. Impressive dynamics.'

WIRED

'There's dexterity and detail on offer here that brings music to life'

AVFORUMS



ASTRAL 16



'An experience that was spine-tingling'

HOME CINEMA CHOICE



'This is high-end hardware fit for the finest of setups'

AVTECH MEDIA



COLLECTIONS

Combining performance and design, Focal's collections are a revelation, awakening the emotions : at home with hi-fi, connected loudspeakers, Home Cinema systems and open-/closed-back headphones; on the go with incar kits; during travel with Bluetooth® Noise Cancelling Headphones; in the studio with monitors and professional headphones ; for outdoor spaces and at sea with yacht solutions.



Home Collection



Motorities Collection



Professional Collection

FOCAL *Powered by* **naim**

Enjoy an incredible sound experience

Find our products in 10,000 retail partner stores across the world, but also in our Focal Powered by Naim shops. These stores, dedicated to our brands, invite you to dive into our world, our savoir-faire and immerse yourself in the Focal & Naim sound.

www.focalpoweredbynaim.com



For more information, find us at:



Focal JMLab®

BP 374 - 108, rue de l'Avenir - 42353 La Talaudière cedex - France - +33 (0) 477 435 700

Focal® is a registered trademark of Focal JMLab®, Naim® is a registered trademark of Naim Audio®.

Due to constant technological advances, Focal JMLab® and Naim Audio® reserve the right to modify specifications without notice.

Non-binding pictures. Pictures : DieFrau / L'Atelier Sylvain Madelon / Nicolas Reynaud. SCLC - 13/02/2026 - v6

PCCG1316 EN



3 544058 724091